

TECHNICAL DATA F-LINE



	640	680	740	790	840	890
BASIC VEHICLE (STANDARD)	Ducato 35 L	Ducato 35 L	Ducato 40 H	Ducato 40 H	Ducato 40 H	Ducato 40 H
Chassis / Low-frame chassis	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO	Fiat / AL-KO
Cylinder / cubic capacity, ccm	4 / 2,287	4 / 2,287	4 / 2,287	4 / 2,287	4 / 2,287	4 / 2,287
Performance, kW/hp	96 / 130	96 / 130	96 / 130	96 / 130	96 / 130	96 / 130
Tank volume diesel, l	60	60	60	60	60	60
Wheel base, mm	3,980	3,980 (PLUS 4,025)	4,325 (double axle 3,525 + 800)	4,560 (double axle 3,760 + 800, double axle PLUS 3,900 + 800)	4,350 + 800	4.700 + 800
DIMENSIONS	A-Class	Coachbuilt	A-Class	Coachbuilt	A-Class	Coachbuilt
Total length, cm	645	706	708 (SG 698)	752	754 (QD 764)	752
Total width, cm	230	230	230	230	230	230
Total height, cm	306	318	306	322	310	306
Headroom, cm	203	203	203	203	203	198
WEIGHT SPECIFICATIONS DUCATO 35 L	A-Class	Coachbuilt	A-Class	Coachbuilt	A-Class	Low-Profile
Mass when ready for driving, kg	3,170 ¹	3,330 ¹	3,350 ¹	-	-	-
Max. perm. total mass, kg	3,850	3,850	3,850	-	-	-
Payload, kg	680	520	500	-	-	-
Trailer load braked / unbraked, kg	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	-	-	-
Max. perm. mass of the combination, kg	5,500	5,500	5,500	-	-	-
WEIGHT SPECIFICATIONS DUCATO 40 H	A-Class	Coachbuilt	A-Class	Coachbuilt	A-Class	Low-Profile
Mass when ready for driving, kg	3,190 ¹	3,370 ¹	3,390 ¹	3,450 ¹	3,470 ¹	3,350 ¹
Max. perm. total mass, kg	4,500	4,500	4,500	4,500	4,500	4,500
Payload, kg	1,310	1,130	1,110	1,050	1,030	1,150
Trailer load braked / unbraked, kg	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³	2,000 ³ / 750 ³
Max. perm. mass of the combination, kg	6,000	6,000	6,000	6,000	6,000	6,000
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5,0 T				Coachbuilt	A-Class	Low-Profile
Mass when ready for driving, kg	-	-	-	-	3,630 ¹	3,510 ¹
Max. perm. total mass, kg	-	-	-	-	5,000	5,000
Payload, kg	-	-	-	-	1,370	1,490
Trailer load braked / unbraked, kg	-	-	-	-	2,000 ³ / 750 ³	2,000 ³ / 750 ³
Max. perm. mass of the combination, kg	-	-	-	-	6,000	6,000
WEIGHT SPECIFICATIONS DUCATO 40 H / TANDEM 5,5 T					Coachbuilt	A-Class
Mass when ready for driving, kg	-	-	-	-	3,730 ¹	3,750 ¹
Max. perm. total mass, kg	-	-	-	-	5,500	5,500
Payload, kg	-	-	-	-	1,770	1,750
Trailer load braked / unbraked, kg	-	-	-	-	1,500 ³ / 0	1,500 ³ / 0
Max. perm. mass of the combination, kg	-	-	-	-	6,000	6,000
CONFIGURATION						
Fresh water tank / waste water tank approx., l	150 ⁴ (50 l drive load) ² / 130	150 ⁴ (50 l drive load) ² / 130	150 ⁴ (50 l drive load) ² / 130	150 ⁴ (50 l drive load) ² / 130	150 ⁴ (50 l drive load) ² / 130	150 ⁴ (50 l drive load) ² / 130
Battery capacity, Ah (20 h)	80	80	80	80	2 x 80	2 x 80
Refrigerator volume approx., l	160	160 (BD 100)	160	160	160	160
Heating	Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus	Truma Combi CP Plus	ALDE 3020 HE	ALDE 3020 HE

1) The vehicle mass when ready for driving has been determined in accordance with Reg (EU) 1230/2012, but reflecting the drive load of the fresh water tank (see Fn.2 and 4) and one aluminium gas bottle (11 kg)

2) Capacity of the fresh water tank acc. to Ann. V, part A, para. 2.6 Fn. (H) Reg (EU) 1230/2012, considering the 50 l drive load

3) Trailer load may vary depending on the configuration selected

4) Possible with the appropriate setting of the valve on the fresh water tank: max. 150 l

General note

Information on weights and dimensions are implemented in accordance with Reg (EU) 1230/2012 provided that the catalogue including technical data and price list contains no contrary information.